



\* Image shown: 6(x2) Window Unit with 3 power, 3 open data with Clear Anodized Aluminum, and Black Plastic



# E2X

## OVERVIEW

E2X is a back to back Ellora® unit within a single grommet. Like the Ellora product, connections to power and data can be concealed while in use. E2X offers a completely scalable solution - from 2 to 8 windows per side - with a variety of power options and data configurations. E2X is designed to conveniently provide power and data access from either side of the table or worksurface.

## SPECIFICATIONS


\* Images depict 6(x2) Window unit with 3 power, and 3 open data.



**Min Surface Depth**  
3/8"

**Max Surface Depth**  
1 1/2"

## CUT OUT DIMENSION



EACH SIDE (x2)	LENGTH	WIDTH
2 Windows	5"	9-13/16"
3 Windows	6-1/2"	9-13/16"
4 Windows	8"	9-13/16"
5 Windows	9-1/2"	9-13/16"
6 Windows	11"	9-13/16"
7 Windows	12-1/2"	9-13/16"
8 Windows	14"	9-13/16"

## CUSTOMIZE BY SIZE

E2X offers from 2 to 8 windows on each side, as shown below. Each side must have the same amount of windows. Each window can be replaced by a variety of power or data options.



## POWER INFEED OPTIONS

PLEASE NOTE: Product requires separate power infeed for each side.

### UL LISTED

- Corded
- Hardwired
- 4-Trac interconnect
- 8-Trac interconnect

### UL RECOGNIZED

- Interlink IQ 2.0
- Interlink

## CODES

### NEW YORK


The Corded E2X can be used in New York City, as per the New York City Electrical Code.

### CHICAGO

The Corded E2X can be used on Listed freestanding furnishings in Chicago. Limitations apply. The Hardwired E2X must be used on all other furnishings in Chicago.

## INTEGRATED TECHNOLOGIES

The power simplexes must be grouped together and installed at the **right end** of this product. Technologies requiring power must immediately follow.



### NON-POWERED

Cat6, Cat6A, RJ-45, HDMI, VGA, DisplayPort, DVI, Mini DisplayPort, Stereo Jack, Belay, and Passive USB


NOTE: Factory install only for Mini DisplayPort



### POWERED

USB A+C, Dual USB, USB-C 18W, USB-C 60W

NOTE: Powered technologies do not transfer data



### POWER SIMPLEX

Tamper Resistant & Hospital Grade Available

## FINISHES

### ANODIZED ALUMINUM HOUSING & GROMMET

- Black Anodized Aluminum
- Clear Anodized Aluminum


### INSIDE FACEPLATE

- Midnight
- Parchment

### PLASTIC END CAPS & WINDOW FRAMES

- White
- Black

## FINISH AREAS



- Anodized Aluminum
- End caps, Window Frames
- Inside Faceplate

